L Number	Hits	Search Text	DB	Time stamp
-	2		USPAT;	2004/04/16 16:50
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT; IBM TDB	
_	22065	holographic	USPAT;	2004/04/16 16:42
		7	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2428	laser and (second near3 (beam or light or	IBM_TDB USPAT;	2004/04/16 16:44
-	2420	laser) and (second hears (beam of light of laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	2004/04/10 10.44
		wavelength)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0001/01/55 55 55
-	1690	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/04/16 22:58
		laser)) and ((separat\$3 or divide\$2) near wavelength) and (photodiode or (photo adj	US-PGPUB; EPO; JPO;	
]		diode) or (photo ajd2 detector))	DERWENT;	
			IBM_TDB	
-	1036		USPAT;	2004/04/16 16:46
		laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	
		wavelength) and (photodiode or (photo adj diode) or (photo ajd2 detector)) and (disk	EPO; JPO; DERWENT;	
		or medium)	IBM TDB	
-	2	1	USPAT;	2004/04/16 16:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	(("20020097773").PN.) and focal and order	USPAT;	2004/04/16 16:51
	_	adj diffracted	US-PGPUB;	2301, 01, 10 10.51
		-	EPO; JPO;	
			DERWENT;	
_	292	lacor and /cocond noar? /horm or light ar	IBM_TDB USPAT;	2004/04/16 17:59
-	292	laser and (second near3 (beam or light or laser)) and ((separat\$3 or divide\$2) near	USPAT; US-PGPUB;	2004/04/10 17:39
. •		wavelength) and (photodiode or (photo adj	EPO; JPO;	
		diode) or (photo ajd2 detector)) and	DERWENT;	
		(holographic or hologram or holograph\$3 or	IBM_TDB	
_	50	hoe)	HCDATT.	2004/04/16 22:12
-	50	laser and (second near3 (beam or light or laser)) and (holographic or hologram or	USPAT; US-PGPUB;	2004/04/10 22:12
1	l	holograph\$3 or hoe) and 372/\$.\$.ccls.	EPO; JPO;	
			DERWENT;	
	_	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
-	2	("20020024916").PN.	USPAT;	2004/04/16 21:55
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	53	laser and (second near4 (beam or light or	USPAT;	2004/04/16 22:57
		laser)) and (holographic or hologram or	US-PGPUB; EPO; JPO;	
		holograph\$3 or hoe) and 372/\$.\$.ccls.	DERWENT;	
			IBM TDB	
-	70	(holographic or hologram or holograph\$3	USPĀT;	2004/04/16 22:12
		or hoe) and 372/\$.\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	17	((holographic or hologram or holograph\$3	USPAT;	2004/09/17 17:58
		or hoe) and 372/\$.\$.ccls.) not (laser and	US-PGPUB;	
		(second near4 (beam or light or laser))	EPO; JPO;	
		and (holographic or hologram or	DERWENT;	
		holograph\$3 or hoe) and 372/\$.\$.ccls.)	IBM TDB	

	,			1 0004 /00 /12 16 02
-	3	laser and (second near3 (beam or light or	USPAT;	2004/09/17 16:27
		laser)) and ((separat\$3 or divide\$2) near wavelength) and (photodiode or (photo adj	US-PGPUB; EPO; JPO;	
		diode) or (photo ajd2 detector)) and	DERWENT;	
		(holographic or hologram or holograph\$3 or	IBM TDB	
		hoe) and 372/\$.\$.ccls.		
_	2	("6643303").PN.	USPAT;	2004/04/16 22:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7865	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/04/16 22:57
		laser)) and (holographic or hologram or	US-PGPUB;	
		holograph\$3 or hoe)	EPO; JPO; DERWENT;	
			IBM TDB	
_	52763	laser and (second near3 (beam or light or	USPAT;	2004/04/16 22:58
	32,03	laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	2001/01/10 22:30
		wavelength) and (photodiode or (photo adj	EPO; JPO;	
		diode) or (photo ajd2 detector)) and nd	DERWENT;	
		(holographic or hologram or holograph\$3 or	IBM TDB	
		hoe)	_	
-	292	laser and (second near3 (beam or light or	USPAT;	2004/09/17 18:00
		laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	
		wavelength) and (photodiode or (photo adj	EPO; JPO;	
		diode) or (photo ajd2 detector)) and	DERWENT;	
		(holographic or hologram or holograph\$3 or	IBM_TDB	
_	4611	hoe) laser and (second near3 (beam or light or	USPAT;	2004/04/17 16:36
-	4011	laser) and (photodiode or (photo adj	US-PGPUB;	2004/04/17 10:30
		diode) or (photo ajd2 detector)) and	EPO; JPO;	
		(holographic or hologram or holograph\$3 or	DERWENT;	
		hoe)	IBM TDB	
_	3102	laser and (second near3 (beam or light or	USPAT;	2004/04/17 16:36
		laser)) and (photodiode or (photo adj	US-PGPUB;	
		diode) or (photo ajd2 detector)) and	EPO; JPO;	
		(holographic or hologram or holograph\$3 or	DERWENT;	
	1007	hoe) and optic	IBM_TDB	2004/04/17 16:27
_	1227	laser and (second near3 (beam or light or laser)) and (photodiode or (photo adj	USPAT; US-PGPUB;	2004/04/17 16:37
		diode) or (photo ajd2 detector)) and	EPO; JPO;	
		(holographic or hologram or holograph\$3 or	DERWENT;	·
		hoe) and optic and disk	IBM TDB	
_	1080	laser and (second near3 (beam or light or	USPAT;	2004/04/17 16:38
		laser)) and (photodiode or (photo adj	US-PGPUB;	·
		diode) or (photo ajd2 detector)) and	EPO; JPO;	
		(holographic or hologram or holograph\$3 or	DERWENT;	
		hoe) and optic and disk and (package or	IBM_TDB	
_	4027	component)	HSDAT.	2004/04/17 16:38
-	402/	laser and (second hears (beam or light or laser)) and (separat\$3 or divide\$2) and	USPAT; US-PGPUB;	2004/04/1/ 10:38
1		(photodiode or (photo adj diode) or (photo	EPO; JPO;	
		ajd2 detector)) and (holographic or	DERWENT;	
		hologram or holograph\$3 or hoe)	IBM TDB	
1 -	453	laser and (second near3 (beam or light or	USPAT;	2004/04/17 16:38
		laser)) and ((separat\$3 or divide\$2) near2	US-PGPUB;	
		wavelength) and (photodiode or (photo adj	EPO; JPO;	
		diode) or (photo ajd2 detector)) and	DERWENT;	
		(holographic or hologram or holograph\$3 or	IBM_TDB	
	170	hoe)	HCDAT.	2004/04/17 17:00
-	170	laser and (second near3 (beam or light or laser)) and ((separat\$3 or divide\$2) near2	USPAT; US-PGPUB;	2004/04/17 17:28
]		wavelength) and ((separat) of divide) wavelength) and (photodiode or (photo adj	EPO; JPO;	
		diode) or (photo ajd2 detector)) and	DERWENT;	
		(holographic or hologram or holograph\$3 or	IBM TDB	
		hoe) and disk	_	
-	2		USPAT;	2004/04/17 17:29
			US-PGPUB;	
			EPO; JPO;	·
			DERWENT;	
			IBM TDB	l

-	2	("20020097773").PN.	USPAT;	2004/09/17 16:27
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	279	laser and (second near3 (beam or light or	USPĀT;	2004/09/18 17:08
		laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	
,		wavelength) and (photodiode or (photo adj	EPO; JPO; DERWENT;	
		diode) or (photo ajd2 detector)) and (holographic or hologram or holograph\$3 or	IBM TDB	
		hoe) and (pakage or component or	12.1_122	
		intergra\$4)		
-	3	("2000076689").PN.	USPAT;	2004/09/17 17:30
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(372/\$or369/\$).CCLS.	USPAT;	2004/09/17 17:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	36575	("372").CLAS.	USPAT;	2004/09/17 17:58
		,	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
_	79026	("369").CLAS.	IBM_TDB USPAT;	2004/09/17 17:58
	, , , 5020	(005). Omio:	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.7	(/halamambia au balamam au balamambia	IBM_TDB USPAT;	2004/09/17 17:59
ļ	17	((holographic or hologram or holograph\$3 or hoe) and 372/\$.\$.ccls.) not (laser and	US-PGPUB;	2004/09/17 17:39
		(second near4 (beam or light or laser))	EPO; JPO;	
		and (holographic or hologram or	DERWENT;	
		holograph\$3 or hoe) and ((("372").CLAS.)	IBM_TDB	
1_	17	(("369").CLAS.))) ((holographic or hologram or holograph\$3	USPAT;	2004/09/17 17:59
-	'	or hoe) and 372/\$.\$.ccls.) not (laser and	US-PGPUB;	2004/05/17 17.55
		(second near4 (beam or light or laser))	EPO; JPO;	
		and (holographic or hologram or	DERWENT;	
		holograph\$3 or hoe) and ((("372").CLAS.) or (("369").CLAS.)))	IBM_TDB	
_	66		USPAT;	2004/09/17 18:02
		laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	
		wavelength) and (photodiode or (photo adj	EPO; JPO;	
1	1	diode) or (photo ajd2 detector)) and	DERWENT;	
		(holographic or hologram or holograph\$3 or hoe) and ((("372").CLAS.))	IBM_TDB	
-	8	laser and (second near3 (beam or light or	USPAT;	2004/09/17 18:13
	1	laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	
		wavelength) and (photodiode or (photo adj	EPO; JPO;	
		diode) or (photo ajd2 detector)) and (holographic or hologram or holograph\$3 or	DERWENT;	
	1	hoe) and ((("372").CLAS.) (("369").CLAS.))	10.1_10.6	
		and (second near (holographic or hologram		
		or holograph\$3 or hoe))		0004/00/45 15 15
-	27	laser and (second near3 (beam or light or	USPAT;	2004/09/17 18:13
		laser)) and ((separat\$3 or divide\$2) near wavelength) and (photodiode or (photo adj	US-PGPUB; EPO; JPO;	
	1	diode) or (photo ajd2 detector)) and	DERWENT;	
	1	(holographic or hologram or holograph\$3 or	IBM_TDB	
		hoe) and (second near (holographic or		
	1.0	hologram or holograph\$3 or hoe))	USPAT;	2004/09/19 11:43
-	13	laser and (second near3 (beam or light or laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	2004/09/19 11:43
		wavelength) and (photodiode or (photo adj	EPO; JPO;	
	1	diode) or (photo ajd2 detector)) and	DERWENT;	
	1	(holographic or hologram or holograph\$3 or	IBM_TDB	
	1	hoe) and (polariz\$5 near (holographic or hologram or holograph\$3 or hoe))		
		norogram or norographys or noe;	L	<u> </u>

Page 3

-	18		USPAT;	2004/09/19 11:44
		laser)) and ((separat\$3 or divide\$2) near	US-PGPUB;	
		wavelength) and (holographic or hologram	EPO; JPO;	
		or holograph\$3 or hoe) and (polariz\$5 near	DERWENT;	
		(holographic or hologram or holograph\$3 or	IBM_TDB	
		hoe))		
-	302	1	USPAT;	2004/09/19 11:44
	1	and (holographic or hologram or	US-PGPUB;	
	1	holograph\$3 or hoe) and (polariz\$5 near	EPO; JPO;	
		(holographic or hologram or holograph\$3 or	DERWENT;	
		hoe))	IBM_TDB	
-	19	(second near3 (beam or light or laser))	USPAT;	2004/09/19 16:40
		and ((separat\$3 or divide\$2) near	US-PGPUB;	
		wavelength) and (holographic or hologram	EPO; JPO;	
		or holograph\$3 or hoe) and (polariz\$5 near	DERWENT;	
	[(holographic or hologram or holograph\$3 or	IBM_TDB	
		hoe))	-	
-	2	("20040001419").PN.	USPAT;	2004/09/19 16:41
İ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(("20040001419").PN.) and polarization	USPAT;	2004/09/20 14:41
	j		US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	2	("6785203").PN.	USPAT;	2004/09/20 14:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	